

## DRUGS CONTRAINDICATED IN PREGNANCY (Part 1 of 3)

This chart represents information on select drugs that are contraindicated in women who are pregnant. Drugs that are contraindicated at a certain phase of pregnancy are noted.

Generic	Brand	Contraindicated Trimester
<b>ANDROGENS</b>		
methyltestosterone	—	All
oxandrolone	—	All
testosterone <sup>1</sup>	<b>Androderm, Androgel, Fortesta, Testim</b>	All
testosterone cypionate	<b>Depo-testosterone</b>	All
testosterone enanthate	<b>Xyosted</b>	All
<b>ANTI-INFECTIVES</b>		
griseofulvin	<b>Gris-Peg</b>	All
metronidazole	<b>Flagyl</b>	1st trimester for trichomoniasis
nitrofurantoin	<b>Macrobid, Macrochantin</b>	Pregnancy at term (38-42wks)
ribavirin	<b>Virazole</b>	All
sulfadiazine	—	Pregnancy at term
sulfamethoxazole/trimethoprim	<b>Bactrim</b>	Advise patients of the potential risk of embryo-fetal toxicity
tinidazole	<b>Tindamax</b>	1st trimester
<b>CARDIOVASCULAR AGENTS</b>		
ambrisentan	<b>Letairis</b>	All
amlodipine/atorvastatin	<b>Caduet</b>	All
atorvastatin	<b>Lipitor</b>	All
bosentan	<b>Tracleer</b>	All
dipyridamole/aspirin	—	3rd trimester
dronedaron	<b>Multaq</b>	All
ezetimibe/simvastatin	<b>Vytorin</b>	All
fluvastatin	<b>Lescol XL</b>	All
lovastatin	<b>Altoprev</b>	All
pitavastatin	<b>Livalo</b>	All
pravastatin	—	All
rosuvastatin	<b>Crestor</b>	All
simvastatin	<b>Zocor</b>	All
warfarin <sup>2</sup>	—	All
<b>DERMATOLOGIC AGENTS</b>		
acitretin	—	All
diclofenac sodium (topical)	—	Late pregnancy (≥30wks) <sup>4</sup>
finasteride	<b>Propecia</b>	All
isotretinoin	<b>Absorica, Claravis</b>	All
silver sulfadiazine	<b>Silvadene</b>	Late pregnancy
tazarotene	<b>Avage, Tazorac</b>	All
<b>OB/GYN</b>		
ALL ORAL CONTRACEPTIVES		All
ALL HORMONE REPLACEMENT THERAPIES		All
cetorelix	<b>Cetrotide</b>	All
choriogonadotropin alfa	<b>Ovidrel</b>	All
clomiphene	—	All
follitropin alfa	<b>Gonal-F</b>	All
follitropin beta	<b>Follistim</b>	All
ganirelix acetate	—	All
goserelin	<b>Zoladex<sup>3</sup></b>	All
leuprolide acetate	<b>Lupron Depot</b>	All
medroxyprogesterone acetate	<b>Depo-SubQ Provera</b>	All
menotropins	<b>Menopur</b>	All
methylgonovine	<b>Methergine</b>	All
mifepristone	<b>Mifeprex</b>	All
nafarelin acetate	<b>Synarel</b>	All

(continued)

## DRUGS CONTRAINDICATED IN PREGNANCY (Part 2 of 3)

### ONCOLOGY AGENTS

abiraterone acetate	<b>Zytiga<sup>1</sup></b>	All
bexarotene	<b>Targretin</b>	All
bicalutamide	<b>Casodex<sup>1</sup></b>	All
degarelix	<b>Firmagon</b>	Advise patients of the potential risk of embryo-fetal toxicity
fluorouracil	<b>Efudex</b>	All
lenalidomide	<b>Revlimid</b>	All
leuprolide acetate	<b>Eligard</b>	Advise patients of the potential risk of embryo-fetal toxicity
methotrexate	<b>Trexall, Rasuvo</b>	All
raloxifene	<b>Evista</b>	All
thalidomide	<b>Thalomid</b>	All
triptorelin pamoate	<b>Trelstar</b>	Advise patients of the potential risk of embryo-fetal toxicity

### PAIN MANAGEMENT

acetaminophen/aspirin/caffeine	<b>Excedrin Migraine</b>	Late pregnancy (≥30wks) <sup>4</sup>
aspirin	<b>Bayer, Ecotrin, Durlaza</b>	Late pregnancy (≥30wks) <sup>4</sup>
aspirin/caffeine/salicylamide	<b>BC Original Formula, BC Arthritis Strength</b>	Late pregnancy (≥30wks) <sup>4</sup>
butalbital/aspirin/caffeine	<b>Fiorinal</b>	Late pregnancy (≥30wks) <sup>4</sup>
butalbital/aspirin/caffeine/codeine	<b>Fiorinal w. Codeine</b>	Late pregnancy (≥30wks) <sup>4</sup>
carisoprodol/aspirin/codeine	—	Late pregnancy (≥30wks) <sup>4</sup>
celecoxib	<b>Celebrex</b>	Late pregnancy (≥30wks) <sup>4</sup>
choline magnesium trisalicylate	—	Pregnancy at term
diclofenac potassium	<b>Zipсор</b>	Late pregnancy (≥30wks) <sup>4</sup>
diclofenac sodium/misoprostol	<b>Arthrotec</b>	All
diflunisal	—	Late pregnancy (≥30wks) <sup>4</sup>
dihydroergotamine mesylate	<b>D.H.E. 45, Migranal</b>	All
ergotamine tartrate/caffeine	—	All
etodolac	—	Late pregnancy (≥30wks) <sup>4</sup>
fenoprofen calcium	<b>Nalfon</b>	Late pregnancy (≥30wks) <sup>4</sup>
flurbiprofen	—	Late pregnancy (≥30wks)
hydrocodone bitartrate/ibuprofen	—	Late pregnancy (≥30wks)
ibuprofen	<b>Advil, Caldolor, Motrin</b>	Late pregnancy (≥30wks) <sup>4</sup>
ibuprofen/famotidine	<b>Duexis</b>	Late pregnancy (≥30wks) <sup>4</sup>
ketoprofen	—	Late pregnancy (≥30wks) <sup>4</sup>
ketorolac	—	Late pregnancy (≥30wks) <sup>4</sup>
mefenamic acid	<b>Ponstel</b>	Late pregnancy (≥30wks) <sup>4</sup>
meloxicam	<b>Mobic</b>	Late pregnancy (≥30wks) <sup>4</sup>
nabumetone	—	Late pregnancy (≥30wks) <sup>4</sup>
naproxen sodium	<b>Aleve, Naprelan</b>	Late pregnancy (≥30wks) <sup>4</sup>
naproxen/esomeprazole	<b>Vimovo</b>	Late pregnancy (≥30wks) <sup>4</sup>
oxaprozin	<b>Daypro</b>	Late pregnancy (≥30wks) <sup>4</sup>
oxycodone HCl/aspirin	<b>Percodan</b>	Late pregnancy (≥30wks) <sup>4</sup>
piroxicam	<b>Feldene</b>	Late pregnancy (≥30wks) <sup>4</sup>
salsalate	—	Late pregnancy

### PSYCHOTROPIC AGENTS

estazolam	—	All
flurazepam	—	All
hydroxyzine	<b>Vistaril</b>	Early pregnancy
temazepam	<b>Restoril</b>	All

*(continued)*

## DRUGS CONTRAINDICATED IN PREGNANCY (Part 3 of 3)

### OTHERS

acetoxyhydroxamic acid	<b>Lithostat</b>	All
benzphetamine	—	All
denosumab	<b>Prolia</b>	All
dutasteride HCl	<b>Avodart</b> <sup>1</sup>	All
dutasteride/tamsulosin HCl	<b>Jalyn</b> <sup>1</sup>	All
finasteride	<b>Proscar</b> <sup>1</sup>	All
histrelin acetate	<b>Supprelin LA</b>	All
leflunomide	<b>Arava</b>	All
megestrol acetate	<b>Megace ES</b>	All
miglustat	<b>Zavesca</b>	Advise patients of the potential risk of embryo-fetal toxicity
misoprostol	<b>Cytotec</b>	All
orlistat	<b>Xenical</b>	All
probenecid/colchicine	—	All
tesamorelin	<b>Egrifta</b>	All

### NOTES

<sup>1</sup> Women of reproductive potential should also avoid handling capsules or crushed/broken tablets, or any skin contact with application sites.

<sup>2</sup> Contraindicated in pregnancy except in pregnant women with mechanical heart valves, who are at high risk of thromboembolism, and for whom the benefits of therapy may outweigh the risks.

<sup>3</sup> Contraindicated in pregnancy unless used for palliative treatment of advanced breast cancer.

<sup>4</sup> If needed between 20-30wks gestation, use lowest effective dose and shortest duration; monitor.

Not an inclusive list of medications. Please see drug monograph at [www.eMPR.com](http://www.eMPR.com) and/or contact company for full drug labeling.

(Rev. 5/2022)